

**MAS156: Mathematics (Electrical and
Aerospace)**
**MAS161 (General Engineering
Mathematics)**

Prof Koji Ohkitani
mas-engineering@sheffield.ac.uk

Monday 8th October 2018, 5pm
Diamond LT4

Course matters

Online tests

If you are still having any problems accessing the online materials, remember that there are some things that can help.

If you are still having any problems accessing the online materials, remember that there are some things that can help.

If the videos aren't playing properly, try

- using a different browser (Firefox seems to work most reliably);
- ensuring javascript is enabled;
- clearing your browser's cache;
- pressing refresh.

If you are still having any problems accessing the online materials, remember that there are some things that can help.

If the videos aren't playing properly, try

- using a different browser (Firefox seems to work most reliably);
- ensuring javascript is enabled;
- clearing your browser's cache;
- pressing refresh.

This solves most problems.

If you are still having any problems accessing the online materials, remember that there are some things that can help.

If the videos aren't playing properly, try

- using a different browser (Firefox seems to work most reliably);
- ensuring javascript is enabled;
- clearing your browser's cache;
- pressing refresh.

This solves most problems. If you're still stuck, please use the discussion board.

If you are still having any problems accessing the online materials, remember that there are some things that can help.

If the videos aren't playing properly, try

- using a different browser (Firefox seems to work most reliably);
- ensuring javascript is enabled;
- clearing your browser's cache;
- pressing refresh.

This solves most problems. If you're still stuck, please use the discussion board.

Reminder: You must watch each video to the end to find the link to the tests.

Online materials

You can find all sheets from the problem classes with brief answers on the back on the course webpage.

You can find all sheets from the problem classes with brief answers on the back on the course webpage. If these aren't enough, start a thread on the discussion board.

You can find all sheets from the problem classes with brief answers on the back on the course webpage. If these aren't enough, start a thread on the discussion board.

Don't forget about the online notes and exercises, also on the course webpage.

You can find all sheets from the problem classes with brief answers on the back on the course webpage. If these aren't enough, start a thread on the discussion board.

Don't forget about the online notes and exercises, also on the course webpage.

The notes cover the same material as the videos

You can find all sheets from the problem classes with brief answers on the back on the course webpage. If these aren't enough, start a thread on the discussion board.

Don't forget about the online notes and exercises, also on the course webpage.

The notes cover the same material as the videos but not always in precisely the same way.

You can find all sheets from the problem classes with brief answers on the back on the course webpage. If these aren't enough, start a thread on the discussion board.

Don't forget about the online notes and exercises, also on the course webpage.

The notes cover the same material as the videos but not always in precisely the same way.

The exercise sheets have practice questions that are different from the ones in the problem class.

You can find all sheets from the problem classes with brief answers on the back on the course webpage. If these aren't enough, start a thread on the discussion board.

Don't forget about the online notes and exercises, also on the course webpage.

The notes cover the same material as the videos but not always in precisely the same way.

The exercise sheets have practice questions that are different from the ones in the problem class. You can keep up-to-date as we cover the material

You can find all sheets from the problem classes with brief answers on the back on the course webpage. If these aren't enough, start a thread on the discussion board.

Don't forget about the online notes and exercises, also on the course webpage.

The notes cover the same material as the videos but not always in precisely the same way.

The exercise sheets have practice questions that are different from the ones in the problem class. You can keep up-to-date as we cover the material or save them for reading week, Christmas and Easter breaks and exam preparation time.

Also on the course webpage are the slides from the lecture in Week 1 (and this one!).

Also on the course webpage are the slides from the lecture in Week 1 (and this one!). If you missed it, please read up.

Also on the course webpage are the slides from the lecture in Week 1 (and this one!). If you missed it, please read up.

Reminder: tests are released:

- Mondays at 9am, due on Thursday at 9am, and
- Wednesdays at 9am, due on Monday at 9am.

Also on the course webpage are the slides from the lecture in Week 1 (and this one!). If you missed it, please read up.

Reminder: tests are released:

- Mondays at 9am, due on Thursday at 9am, and
- Wednesdays at 9am, due on Monday at 9am.

If you miss a test the deadline cannot be extended.

Also on the course webpage are the slides from the lecture in Week 1 (and this one!). If you missed it, please read up.

Reminder: tests are released:

- Mondays at 9am, due on Thursday at 9am, and
- Wednesdays at 9am, due on Monday at 9am.

If you miss a test the deadline cannot be extended. If you are ill, or miss tests for another good reason, you need to tell us by emailing mas-engineering@sheffield.ac.uk so we can take this into account when working out your total mark.

Also on the course webpage are the slides from the lecture in Week 1 (and this one!). If you missed it, please read up.

Reminder: tests are released:

- Mondays at 9am, due on Thursday at 9am, and
- Wednesdays at 9am, due on Monday at 9am.

If you miss a test the deadline cannot be extended. If you are ill, or miss tests for another good reason, you need to tell us by emailing mas-engineering@sheffield.ac.uk so we can take this into account when working out your total mark.

Each test is only worth about 0.15% of the total module credit.

Your comments

We are interested to know your opinions about this course:

We are interested to know your opinions about this course: use the discussion board and the end of semester questionnaire.

We are interested to know your opinions about this course: use the discussion board and the end of semester questionnaire.

Please also click the *thumbs up* or *thumbs down* buttons on Youtube if you particularly like or dislike a video as it will help us improve the materials.

Reading week

Week 7 (November 5–9) is a reading week.

Week 7 (November 5–9) is a reading week.

There will be no classes or new videos released in reading week: the videos released late in week 6 will be due in early in week 8.

Week 7 (November 5–9) is a reading week.

There will be no classes or new videos released in reading week: the videos released late in week 6 will be due in early in week 8.

You should use the time to revise or catch up with the material so far, e.g by working on exercises.

Complex numbers

In this course we will spend a good amount of time studying
Complex Numbers.

In this course we will spend a good amount of time studying *Complex Numbers*.

However, they are so fundamental to engineering mathematics that they may have already appeared elsewhere in your course or could come up before we get to them.

In this course we will spend a good amount of time studying *Complex Numbers*.

However, they are so fundamental to engineering mathematics that they may have already appeared elsewhere in your course or could come up before we get to them.

To help you to get comfortable in their use, we will cover some of the basics today.

Why imaginary numbers?

We know that $x^2 \geq 0$ for all real numbers x .

We know that $x^2 \geq 0$ for all real numbers x .

Consider the equation

$$x^2 = -1,$$

which has no solutions (roots) in \mathbb{R} .

We know that $x^2 \geq 0$ for all real numbers x .

Consider the equation

$$x^2 = -1,$$

which has no solutions (roots) in \mathbb{R} .

Define i , the *imaginary unit*, to be a solution of the equation $i^2 = -1$.

We know that $x^2 \geq 0$ for all real numbers x .

Consider the equation

$$x^2 = -1,$$

which has no solutions (roots) in \mathbb{R} .

Define i , the *imaginary unit*, to be a solution of the equation $i^2 = -1$. In other words,

$$i = \sqrt{-1}.$$

A *complex number* is a number of the form

$$z = x + iy, \quad x, y, \in \mathbb{R}.$$

A *complex number* is a number of the form

$$z = x + iy, \quad x, y, \in \mathbb{R}.$$

It has two parts:

$$x = \Re(z), \quad y = \Im(z),$$

known as the *real* and *imaginary* parts, respectively.

Complex algebra

Two complex numbers

$$z_1 = x_1 + iy_1, \quad z_2 = x_2 + iy_2$$

are identical (that is, $z_1 = z_2$) if and only if

$$x_1 = x_2 \quad \text{and} \quad y_1 = y_2.$$

Addition, subtraction & multiplication

We define

We define

$$z_1 + z_2 = (x_1 + x_2) + i(y_1 + y_2)$$

We define

$$z_1 + z_2 = (x_1 + x_2) + i(y_1 + y_2)$$

$$z_1 - z_2 = (x_1 - x_2) + i(y_1 - y_2)$$

We define

$$z_1 + z_2 = (x_1 + x_2) + i(y_1 + y_2)$$

$$z_1 - z_2 = (x_1 - x_2) + i(y_1 - y_2)$$

$$z_1 z_2 = (x_1 x_2 - y_1 y_2) + i(x_1 y_2 + x_2 y_1)$$

We define

$$z_1 + z_2 = (x_1 + x_2) + i(y_1 + y_2)$$

$$z_1 - z_2 = (x_1 - x_2) + i(y_1 - y_2)$$

$$z_1 z_2 = (x_1 x_2 - y_1 y_2) + i(x_1 y_2 + x_2 y_1)$$

These fit with our normal understanding of addition and multiplication.

We define

$$z_1 + z_2 = (x_1 + x_2) + i(y_1 + y_2)$$

$$z_1 - z_2 = (x_1 - x_2) + i(y_1 - y_2)$$

$$z_1 z_2 = (x_1 x_2 - y_1 y_2) + i(x_1 y_2 + x_2 y_1)$$

These fit with our normal understanding of addition and multiplication. The third one, for example, fits with expanding brackets:

We define

$$z_1 + z_2 = (x_1 + x_2) + i(y_1 + y_2)$$

$$z_1 - z_2 = (x_1 - x_2) + i(y_1 - y_2)$$

$$z_1 z_2 = (x_1 x_2 - y_1 y_2) + i(x_1 y_2 + x_2 y_1)$$

These fit with our normal understanding of addition and multiplication. The third one, for example, fits with expanding brackets:

$$z_1 z_2 = (x_1 + iy_1)(x_2 + iy_2)$$

We define

$$z_1 + z_2 = (x_1 + x_2) + i(y_1 + y_2)$$

$$z_1 - z_2 = (x_1 - x_2) + i(y_1 - y_2)$$

$$z_1 z_2 = (x_1 x_2 - y_1 y_2) + i(x_1 y_2 + x_2 y_1)$$

These fit with our normal understanding of addition and multiplication. The third one, for example, fits with expanding brackets:

$$\begin{aligned} z_1 z_2 &= (x_1 + iy_1)(x_2 + iy_2) \\ &= x_1 x_2 + i^2 y_1 y_2 + ix_1 y_2 + iy_1 x_2 \end{aligned}$$

We define

$$z_1 + z_2 = (x_1 + x_2) + i(y_1 + y_2)$$

$$z_1 - z_2 = (x_1 - x_2) + i(y_1 - y_2)$$

$$z_1 z_2 = (x_1 x_2 - y_1 y_2) + i(x_1 y_2 + x_2 y_1)$$

These fit with our normal understanding of addition and multiplication. The third one, for example, fits with expanding brackets:

$$\begin{aligned} z_1 z_2 &= (x_1 + iy_1)(x_2 + iy_2) \\ &= x_1 x_2 + i^2 y_1 y_2 + ix_1 y_2 + iy_1 x_2 \\ &= (x_1 x_2 - y_1 y_2) + i(x_1 y_2 + x_2 y_1) \quad \text{because } i^2 = -1. \end{aligned}$$

Complex conjugate

For $z = x + iy$, we define its *conjugate* by

$$\bar{z} = x - iy.$$

For $z = x + iy$, we define its *conjugate* by

$$\bar{z} = x - iy.$$

Notice that

$$z\bar{z} = (x + iy)(x - iy) = x^2 + y^2 \in \mathbb{R}, \geq 0$$

Complex division

To do division, we need to *realise the denominator* (that is, make the denominator into a real number).

To do division, we need to *realise the denominator* (that is, make the denominator into a real number). The trick is to multiply top and bottom by the conjugate of the denominator, as in:

$$\frac{z_1}{z_2} = \frac{z_1 \overline{z_2}}{z_2 \overline{z_2}}.$$

To do division, we need to *realise the denominator* (that is, make the denominator into a real number). The trick is to multiply top and bottom by the conjugate of the denominator, as in:

$$\frac{z_1}{z_2} = \frac{z_1 \overline{z_2}}{z_2 \overline{z_2}}.$$

As an example of this working,

$$\frac{3 + 2i}{2 + i} =$$

To do division, we need to *realise the denominator* (that is, make the denominator into a real number). The trick is to multiply top and bottom by the conjugate of the denominator, as in:

$$\frac{z_1}{z_2} = \frac{z_1 \overline{z_2}}{z_2 \overline{z_2}}.$$

As an example of this working,

$$\frac{3 + 2i}{2 + i} = \frac{(3 + 2i)(2 - i)}{(2 + i)(2 - i)} =$$

To do division, we need to *realise the denominator* (that is, make the denominator into a real number). The trick is to multiply top and bottom by the conjugate of the denominator, as in:

$$\frac{z_1}{z_2} = \frac{z_1 \overline{z_2}}{z_2 \overline{z_2}}.$$

As an example of this working,

$$\frac{3 + 2i}{2 + i} = \frac{(3 + 2i)(2 - i)}{(2 + i)(2 - i)} = \frac{(6 + 2) + (4 - 3)i}{4 + 1} =$$

To do division, we need to *realise the denominator* (that is, make the denominator into a real number). The trick is to multiply top and bottom by the conjugate of the denominator, as in:


$$\frac{z_1}{z_2} = \frac{z_1 \overline{z_2}}{z_2 \overline{z_2}}.$$

As an example of this working,

$$\frac{3 + 2i}{2 + i} = \frac{(3 + 2i)(2 - i)}{(2 + i)(2 - i)} = \frac{(6 + 2) + (4 - 3)i}{4 + 1} = \frac{8}{5} + \frac{1}{5}i.$$

Argand diagram

We can represent complex numbers in a 2-dimensional plane, known as the *Argand diagram*:



For a complex number $z = a + bi$,

For a complex number $z = a + bi$,

- The *modulus*, r or $|z|$, is the distance of z from the origin;

For a complex number $z = a + bi$,

- The *modulus*, r or $|z|$, is the distance of z from the origin;
- The *argument*, θ or $\arg(z)$, is the angle made with the real-axis;

For a complex number $z = a + bi$,

- The *modulus*, r or $|z|$, is the distance of z from the origin;
- The *argument*, θ or $\arg(z)$, is the angle made with the real-axis;
- As $r^2 = a^2 + b^2$, we have $r = \sqrt{a^2 + b^2}$;

For a complex number $z = a + bi$,

- The *modulus*, r or $|z|$, is the distance of z from the origin;
- The *argument*, θ or $\arg(z)$, is the angle made with the real-axis;
- As $r^2 = a^2 + b^2$, we have $r = \sqrt{a^2 + b^2}$;
- We have $\tan(\arg(z)) = b/a$, and

For a complex number $z = a + bi$,

- The *modulus*, r or $|z|$, is the distance of z from the origin;
- The *argument*, θ or $\arg(z)$, is the angle made with the real-axis;
- As $r^2 = a^2 + b^2$, we have $r = \sqrt{a^2 + b^2}$;
- We have $\tan(\arg(z)) = b/a$, and
- $a = r \cos \theta$ and $b = r \sin \theta$.

For a complex number $z = a + bi$,

- The *modulus*, r or $|z|$, is the distance of z from the origin;
- The *argument*, θ or $\arg(z)$, is the angle made with the real-axis;
- As $r^2 = a^2 + b^2$, we have $r = \sqrt{a^2 + b^2}$;
- We have $\tan(\arg(z)) = b/a$, and
- $a = r \cos \theta$ and $b = r \sin \theta$.

Different choices of θ are possible, but the *principal argument* is defined by $-\pi < \arg(z) \leq \pi$.

What's it useful for?

When complex numbers were first invented, they were not thought to be of much use. But now they're an extremely important tool.

When complex numbers were first invented, they were not thought to be of much use. But now they're an extremely important tool.

They give extra algebraic information, even when we only care about real numbers.

When complex numbers were first invented, they were not thought to be of much use. But now they're an extremely important tool.

They give extra algebraic information, even when we only care about real numbers.

For example, the polynomial $x^2 - 6x + 10 = 0$ has no real roots, but has complex roots $3 + i$ and $3 - i$.

When complex numbers were first invented, they were not thought to be of much use. But now they're an extremely important tool.

They give extra algebraic information, even when we only care about real numbers.

For example, the polynomial $x^2 - 6x + 10 = 0$ has no real roots, but has complex roots $3 + i$ and $3 - i$. We can interpret this as telling us which real number is closest to being a root (namely 3) and also telling us something about how far it is from having a root.

Towards the end of the year, we'll also use them to study feedback systems, which occur throughout engineering.

Towards the end of the year, we'll also use them to study feedback systems, which occur throughout engineering.

It turns out that many important examples are governed by equations:

Towards the end of the year, we'll also use them to study feedback systems, which occur throughout engineering.

It turns out that many important examples are governed by equations:

- Positive real roots mean exponential growth;

Towards the end of the year, we'll also use them to study feedback systems, which occur throughout engineering.

It turns out that many important examples are governed by equations:

- Positive real roots mean exponential growth;
- Negative real roots mean exponential decay;

Towards the end of the year, we'll also use them to study feedback systems, which occur throughout engineering.

It turns out that many important examples are governed by equations:

- Positive real roots mean exponential growth;
- Negative real roots mean exponential decay;
- Complex roots mean *oscillations*.

Still to come...

We are currently doing differentiation. Next we will be looking at some related concepts: power series and limits followed by partial differentiation, i.e. differentiation of function of more than one variable. We'll then move on to complex numbers, finishing the semester with vectors.

We are currently doing differentiation. Next we will be looking at some related concepts: power series and limits followed by partial differentiation, i.e. differentiation of function of more than one variable. We'll then move on to complex numbers, finishing the semester with vectors.

The next full-class lecture takes place in Week 4 of Semester 1.

See you then.

We are currently doing differentiation. Next we will be looking at some related concepts: power series and limits followed by partial differentiation, i.e. differentiation of function of more than one variable. We'll then move on to complex numbers, finishing the semester with vectors.

The next full-class lecture takes place in Week 4 of Semester 1.

See you then.

Reminders:

- No classes in Week 7
- email address mas-engineering@sheffield.ac.uk
- website <http://engmaths.group.shef.ac.uk/mas156>
<http://engmaths.group.shef.ac.uk/mas161> (also accessible through MOLE).